



Available online at
SciVerse ScienceDirect
www.sciencedirect.com

Elsevier Masson France
EM|consulte
www.em-consulte.com/en



Original article

3DSSE – A 3D Scene Search Engine Exploring 3D scenes using keywords

Anestis Koutsoudis*, Konstantinos Stavroglou, George Pavlidis, Christodoulos Chamzas

*Cultural and Educational Technology Institute/Athena' Research and Innovation Centre in Information, Communication and Knowledge Technologies,
58 Tsimiski street, Xanthi 67100, Greece*

ARTICLE INFO

Article history:

Received 30 May 2011
Accepted 1st September 2011
Available online xxx

Keywords:

3D reconstructions
Annotation
Search engine
Viewpoint
Virtual reality
Metadata
Native XML
Database

ABSTRACT

The evolution of real time 3D graphics technologies in combination with high bandwidth Internet connections and modern Web browsers enable users to explore complex 3D scenes. As a rule, a virtual visitor has to manually explore the geometrically complex 3D model in order to discover points of interest. This manual exploration is a time consuming process that, in some cases, can be assisted by sets of predefined points of interest. In this paper, we propose the annotation of 3D scenes in order to equip the user with a text based 3D scene search engine. The search engine provides a query mechanism that unburdens the user from the time consuming process of manually exploring vast 3D scenes. It responds to queries by exploiting the metadata of each 3D model and returns textual and visual information along with a group of links that correspond to relative points of interest within the 3D scene. The search engine allows the virtual visitor to automatically be transferred to a specific point of interest. We have built a Web accessible prototype system that is able to handle queries related to historical data, topological relationships and architectural properties of buildings. A number of 3D reconstructions covering urban areas of cultural importance located in Northern Greece have been annotated and used in the search engine as case studies. The prototype system is based on open source technologies and on a hybrid metadata schema that is derived from the MIDAS Heritage and MACE schemas.

© 2011 Elsevier Masson SAS. All rights reserved.

1. Introduction

Nowadays, high accuracy 3D digitisation of cultural heritage monuments is considered a common practice [1–19]. Modern real time 3D graphics accelerators in combination with viewpoint aware geometry occlusion algorithms allow the virtual exploration of such high geometric complexity 3D scenes. Some of the produced 3D models have been published on the Internet and thus can be accessed using a Web browser [1,3,7]. Unlike a 3D digital replica of an artefact, a 3D model of a monument or one of an archaeological site can be considered as a collection of 3D objects. This collection can also be considered as a static database. A manual virtual exploration of such a collection is not always efficient. This is due to the geometrical-morphological complexity of the scene and due to the imponderable factor of the virtual visitor's special interests. In cases where a 3D scene is annotated with metadata that describe thematic aspects and properties of collection's entities (e.g. artefacts, statues, buildings or architectural) then a keyword-based search

engine can provide the basis of an information retrieval mechanism that enhances the user's virtual exploration experience and study of the monument.

In this paper, we discuss the idea of facilitating virtual visits in complex 3D scenes by employing a keyword-based search engine. We propose the annotation of 3D scenes with information that encloses archaeological details, historical facts, architectural properties and spatial relationships of entities. The proposed methodology provides a tool that can be applied to shift the virtual visitor from the time consuming manual exploration procedure of identifying areas of interest into an efficient and user-oriented approach for exploring the details of complex 3D scenes. In order to support the previous statement, we have developed a prototype search engine using open-source technologies. The functionality of the search engine enables the user to perform keyword-based queries, spatial-topological queries and predefined conditional queries that are related with architectural and historical properties. We have selected three 3D reconstructions of urban areas of Northern Greece as case studies [3,7,9]. These were built using photogrammetry, 3D terrestrial range scanner data, topographical maps and manual measurements. The VRML 2.0 standard file format has been used for bringing the 3D scenes to the Web. The 3D scenes were annotated and the metadata that have been created

* Corresponding author.

E-mail addresses: akoutsou@ipet.gr (A. Koutsoudis), kstavrog@ipet.gr (K. Stavroglou), gpavlid@ipet.gr (G. Pavlidis), chamzas@ipet.gr (C. Chamzas).

follow a hybrid XML schema that is based on the MIDAS Heritage [20] schema enhanced with custom elements and elements derived from the MACE [21] schema.

The rest of this paper is organised as follows. In Section 2, we describe some of the related works and we emphasize on the novelty of this paper. In Section 3, we describe the point-of-interest (POI) annotation approach, the proposed hybrid schema, the architecture and the functionality of the prototype search engine. We conclude in Section 4 by proposing some ideas on the future development of the prototype.

2. Related work

Nowadays, 3D content has become very popular not only due to the current technological trends (e.g. 3D films and television) but also because it provides a mean for better comprehension and appreciation of the visual content. Currently, research projects like the CARARE, work on brining architectural and archaeological 3D content to the public through the Europeana search engine [22]. Several research groups have proposed methods of annotating 3D scenes in order to exploit their content in various applications. Gobetti et al. [23] proposed the exploitation of the *anchor link* feature covered by the VRML 2.0 standard [24] in order to present historic and tourist information. Singh et al. [25] described a method to visualise 3D scenes by combining non-linear projections and by performing data mining from manual explorations. Bilasco et al. [26] proposed a generic semantic annotation model for low complexity 3D scenes that aims in the reuse of geometric primitives. Tenmoku et al. [27] proposed a view management method which emphasizes on annotating 3D replicas of artefacts. In [28], Maass et al. presented a technique that models annotations as separate three-dimensional scene elements that are automatically positioned and oriented according to the shape of the referenced object. Kadobayashi et al. [29] proposed the idea of allowing the user to create, edit and store annotation metadata of 3D models.

The combination of annotation and augmented reality has also been exploited by Feiner et al. [30]. They proposed a prototype 3D mobile augmented reality system for exploring real urban environments while presenting the metadata using a head unit display. Okuma et al. [31] has also proposed a similar wearable 3D model annotation system based on object tracking. Jung et al. [32] presented the *post-it* note metaphor as a means to allow special interest groups to annotate 3D models in order to exchange notifications in a collaborative 3D environment. Kleinermann et al. [33] described a system to annotate the content of 3D virtual environments in order to support virtual touring. Chittaro et al. [34,35] proposed the adoption of guided tours in virtual environments and the use of a radar metaphor as an effective aid for navigation. The lack of semantic description in virtual environments has also been noticed by Pittarello et al. [36]. They described an approach to associate semantic information with 3D scenes based on the integration of the X3D [37] and Semantic Web [38] standards. The annotation of 3D models has also been researched by bioengineers. Balling proposed a system that allows the annotation of volume data provided by computer-aided tomography (CAT) [39].

The novelty in our work arises from the fact that it departs from the idea of visualising information within the 3D environment. It describes an information retrieval mechanism that integrates a common graphical user interface of low learning overhead that allows efficient retrieval of information related to the content found in 3D scenes. Assuming that a user is searching for the Roman Colosseum and this monument exists within a 3D scene that covers a large portion of the ancient Rome. It is important for the virtual visitor to be able to efficiently explore this POI. Based on this example, the proposed system focuses on the idea of unburdening users from a time-consuming manual exploration process

and allows them to identify parts of 3D scenes that fall in their particular interests, whether these are scientific (e.g. architectural-archaeological features and properties, historical information) or not (e.g. cultural tourism, scene exploration). Such a system may find applications in areas such as cultural resources management and heritage interpretation. Cultural resource managers might use such a system in order to annotate 3D replicas of physical assets and scarce elements with information and details in order to enhance their resource management procedures. Museums may improve essential functions such as artefact position inspection and identification or virtual collection management. It may be deployed in the significant sector of cultural tourism as it allows visitors to identify POIs *prior-to-the-visit* or retrieve *in situ* information (heritage interpretation) when wireless network technologies allows it. Another possible application may be the integration of the proposed search engine in an e-tourism service that exploits Web 2.0 technology (commenting, tagging, etc.) in order for the visitor to adapt his/her cultural experiences according to other's reviews, comments and ratings.

Furthermore, we consider a 3D scene as a static database and thus we suggest the use of a text-based search engine as a tool to identify entities in such a database. This is achieved by following a 3D scene annotation approach that is based on POIs. We present a prototype that allows users to perform keyword-based queries related to the content of the 3D scenes. We focus on 3D reconstructions that depict urban areas of cultural importance and thus we have used a hybrid schema that is able to handle historical, archaeological, architectural and topological information.

3. A 3D scene search engine prototype

In this section, we describe the proposed annotation approach of 3D scenes, which includes the procedure of defining POIs, the hybrid schema that has been used for storing the metadata and the architecture and functionality of the prototype search engine.

3.1. 3D scene annotation based on points-of-interest

Annotation is the procedure of building relationships between entities that belong in a single or multiple information domains. In this work, we establish relationships between POIs in 3D scenes and sets of textual information that add value to the POIs' content by describing historical, archaeological, architectural and topological-spatial aspects. According to the proposed annotation approach, entities such as a building, a statue, a monument or any part of them are considered as POIs as long as they exhibit important aspects in the given archaeological-architectural context domain. Hence, the procedure of identifying POIs is absolutely interlinked with the content of the 3D scene, the scope of its creation and the information context that can be extracted from it.

Technically, POIs are defined as vectors that describe the properties of a perspective virtual camera model. These properties are the spatial coordinates of the centre of projection, the orientation of the projection plane against each Cartesian axis and the field of view (Fig. 1i). All coefficients are defined within the local coordinate system of a 3D scene and are used to describe a viewpoint that focuses on an entity's façade or detail.

In order to extract the coefficients of each POI vector, we have followed a process of manual exploration and identification of entities in all 3D scenes. The POIs were defined by moving the virtual camera in positions where its projection plane is able to capture the important aspects of each entity (Fig. 1ii). The 3D reconstructions that have been used contain mainly buildings and thus all POIs were selected by attempting to minimise the geometric




Fig. 1. Point of Interest (POI) identification example.

declinations between the entities' façades and the virtual camera's projection plane.

3.2. 3D Scene content documentation and XML schema encoding

After the definition of the POIs, the documentation of all selected entities took place. This was done in cooperation with archaeologists of CETI's cultural heritage department [40]. The MIDAS Heritage XML schema [20] was selected as the basis for encoding the documentation information of each entity. The specific schema carries elements that allow to describe heritage assets (archaeological monuments, landscapes areas, buildings, etc.), related activities (management, designation, events, etc.) and information sources (bibliography, archives, narratives, etc.). For this work, we have encoded information related to the entity's history, current and previous owners, architectural properties, usage, preservation state, possible interventions, designations (e.g. listed as a scheduled building), spatial and topological data by using a hybrid metadata schema that is based on MIDAS Heritage and MACE schemas [21].

More specifically, a number of extensions to the MIDAS schema were implemented in order to achieve the search engine's required functionality. The MIDAS meta element is the primary node (root) for storing a set of basic information related to a heritage dataset [41]. We extended this node by introducing the Scene Details (Fig. 2) and Generation Details (Fig. 3) elements. The Scene Details element

defines the primary properties of a 3D scene. These are a unique identification number, a uniform resource identifier (URI) to a VRML/X3D model and a set of environmental details such as the sky colour vector and the dimensions of the avatar. The Generation Details element is used to provide fundamental information about the methodologies that have been followed to create the 3D scene. The Creation Purpose sub-element describes the scope of use of the 3D model. The geometrical accuracy and fidelity of a 3D model is one of the dominant factors that determine the scope of its use. For example, a low-density 3D model created using photogrammetry is adequate for the dissemination of the monument or for online virtual touring but not sufficient for scientific analysis. Moreover, the Raw Data Types sub-element describes, using controlled vocabularies, the data types being provided by the 3D digitisation systems that were used during the digitisation phase of the scene.

Furthermore, two extensions are also proposed to the monument element of the MIDAS schema [42]. These are the Scene Object and the Asset Details elements. The Scene Object element (Fig. 4) is used to describe an entity's POI that holds a unique identification number. The Inheritance sub-element provides an alternative approach to define Parent-to-Child and Child-to-Parent relationships between the entities of a 3D scene. It provides a method of relating entities of a 3D scene under any given knowledge domain. Although, the Spatial Appellation element of the MIDAS schema provides efficient means for extracting spatial and topological relationships between entities based on geographic




Fig. 2. Graphical representation of the Scene Details element.




Fig. 3. Graphical representation of the *Generation Details* element.




Fig. 4. Graphical representation of the *Scene Object* element.

coordinates of a given datum, the *Inheritance* sub-element operates as a supplemental method to relate entities in different knowledge domains. The definition of the knowledge domain in which the entities relationships occur, depends on the metadata author.

In our case study, we have used the *Inheritance* sub-element in order to relate entities details that cannot be identified by geographic coordinates. Such examples are the decorative details of a building or a wall engraving. The *Image Digital Resources*




Fig. 5. Graphical representation of the *Asset Details* element.




Fig. 6. Viewpoints from the 3D scenes that were as case studies.

sub-element holds URIs to digital photographs of an entity while the *Viewpoint Vector* sub-element holds the virtual camera's coefficients.

The *Asset Details* element (Fig. 5) focuses on the entity's architectural classification. The *Preservation* sub-element provides construction and restoration dates along with current preservation state information. The *Observations* sub-node may provide brief descriptions about the entity's condition. The *Architectural Details* sub-element contains attributes defined by the MACE architectural classification schema [21]. We have selected an efficient basis of elements in order to describe the entity's functionality, basic form, architectural style, materials being used, etc.

In our implementation, the metadata structure follows the tree metaphor. Each 3D scene is composed by a root node that provides the 3D scene's basic information. This information is described in the *Scene Details* and *Generation Details* elements (Figs. 2 and 3). The root node is followed by a number of sub-nodes that represent the scene's entities. A complete 3D scene metadata example in XML can be found at <http://www.ceti.gr/3dsse/SceneExample.xml>.

We have annotated three 3D scenes to be used as case studies. All of them have the speciality to exhibit mixed traditional Greek, European and Oriental architectural features of late 18th century and are located in the region of Eastern Macedonia and Thrace. These are:

- a part of the old town of Xanthi, which is one of the biggest traditional settlements in Greece (Fig. 6a);
- a part of the old town of Kavala, located on the Panagia peninsula (Fig. 6b);

- a part of the Saint's Barbara springs region in city of Drama (Fig. 6c).

A total of 20 entities were identified within the 3D scenes and documented according to the needs of the proposed metadata schema.

3.3. Search engine's architecture and functionality

The prototype is based on open source technologies and can be found at <http://www.ceti.gr/3dsse>. Fig. 7 illustrates the basic components of the system. The core functionality has been implemented using the PHP script language [43]. A native XML database has been used for metadata storage [44]. For the evaluation of the prototype system, we have performed a number of tests that were focused on ensuring the correct operation of each individual function in the PHP source code followed by operational tests that verified the correct response of the system. Additionally, we have conduct distinct queries based on the metadata content in order to evaluate the system's responses. As this is an experimental prototype, we relied on the known performance of the open source technologies being used and thus a complete evaluation of the system in terms of performance metrics has not been performed.

Furthermore, the system handles queries that contain either keywords or natural language text. The latter are predefined sentences that contain variables that allow users to perform specialised queries in order to narrow down the retrieved information. We have implemented only two predefined queries as the purpose of




Fig. 7. Architecture of the prototype search engine.



Fig. 8. Partial results of a search with the keyword 'church'.

this work is to demonstrate the functionality of the prototype. The predefined queries are the following:

- built between a start period (year) and an end period (year);
- materials used 1st material type, 2nd material type, ..., nth material type.

The first query will retrieve all entities that fall into the given chronological limits, while the second query will retrieve all entities

that contain any of the materials being described. The number of predefined queries can be expanded based on the need of handling more complex user requests.

Additionally, the *query handling* script is responsible for parsing the query and composing the XPATH expression which is forwarded to the database. The database responds to the query and the results are being parsed by the *front end* script which composes the retrieved information. Fig. 8 depicts a screenshot of a search engine's reply. Each root entity represents a 3D scene that

it is followed by, relevant to the query, entities that exist within that 3D scene. The root element (Fig. 8) is accompanied with a map where the area that is being covered by the 3D scene is approximated by a rectangular and a short description about the content of the 3D scene. Additionally, for each one of the entities, a thumbnail image is provided together with a short textual description related to the history of the entity and its architectural properties. For each entity, a set of options are available to the user. These are the following:

- retrieve a complete record for the specific entity;
- transfer to the POI within the 3D scene;
- examine the entity's position onto a world's map;
- request by the system to indicate what other entities are close to a chosen one by taking under consideration their geographical coordinates.

More specifically, the first option retrieves the complete meta-data set from the database and organises it in a record form that can be printed. The second option, exploits the textual format of the 3D models in order to stream to the user's browser the 3D scene with the viewpoint vector of the specific POI defined as the default viewpoint. The engine merges a dynamically created portion of VRML 2.0 source code with the 3D scene and forwards it to the user's Web browser.

The third and fourth option take advantage of the spatial meta-data. The MIDAS Heritage schema specifies a set of metadata elements for describing geographic datasets. In our metadata, we have used the WGS84 geodetic system to describe the entities coordinates.

The third option provides a visual indicator on a world map that points to where the entity is located. This is done by exploiting the Google Maps service API and the entities spatial coordinates. On the other hand, the fourth option represents a special form of query with which the system is requested to identify what entities exist within a given area. In our implementation this area is set to 500 m². The system considers the longitude and latitude coordinates of a selected entity as the centre of this rectangular area and identifies what other entities fall within the limits. Those entities can be part of any 3D scene within the database. The system replies by sorting the entities according to their distance. The first entity to be returned by the system is the query entity which is then followed by the next closest entity. A higher-ranking position indicates a shorter distance from the query entity. The topological-spatial queries can provide users with information that also could be exploited in a real visit to a monument.

4. Conclusions

In this work, we have developed an online keyword-based search engine for 3D scenes. We have based the development of the prototype system on the assumption that a 3D scene is a collection of 3D objects and thus it can be handled as a static database. We applied the POI annotation approach in order to create sets of meta-data that accompany 3D scenes that cover urban areas of cultural importance in the region of East Macedonia and Thrace, Greece. The 3D scenes make extensive use of texture mapping techniques and thus allow users with low bandwidth connections to experience a 3D virtual tour within reasonable downloading times. The meta-data follow a hybrid XML schema based on MIDAS Heritage and MACE. A number of additions to the schema were also proposed in order to achieve the required functionality of the search engine. This functionality provides positioning of the virtual visitor in a POI within a 3D scene and the ability to perform queries related

to archaeological, historical, architectural and spatial-topological properties.

Currently, novel 3D scenes are being annotated in order to be added in the search engine's database. At the moment, we are also working on enhancing the querying system in order to be able to handle more complex queries and on providing a X3DOM-WebGL [45,46] compatible version for eliminating the need of installing a VRML/X3D plug-in on the user's Web browser.

At present, the search engine's functionality, except from the 3D content, can be accessed by all smartphone browsers that support Javascript technology by using either GPRS or WiFi networks. The X3DOM-WebGL technology can be considered as a probable 3D content carrier for smartphones [47]. At present, this is not possible as there is only a limited number of Android-based smartphones that are able to run the Mozilla Fennec [48], that is the only WebGL-enabled Web browser. On the other hand, IOS based devices such the iPhone and iPad are able to access X3D content only through the instantMini [49] standalone application. Thus, a generic solution for accessing such 3D content through a smartphone's Web browser is still not available.

Acknowledgements

The authors would like to thank the Cultural Heritage Department of the Cultural and Educational Technology Institute – Research Centre 'Athena' (<http://www.ceti.gr>) for their contribution in the documentation of the 3D scenes content that were used as case studies.

References

- [1] G. Pavlidis, N. Tsiirliganis, D. Tsiafakis, F. Arnaoutoglou, C. Chamzas, 3D digitization of monuments: the case of Mani, in: Third International Conference of Museology, 5–9 June, Mytilene, Greece, 2006.
- [2] G. Guidi, B. Frisher, A. Spinetti, 3D Digitization of a large model of imperial Rome, in: Proceedings of 5th International Conference on 3-D Digital Imaging and Modelling, Ottawa, Ontario, Canada, June 13–16, 2005.
- [3] A. Koutsoudis, F. Arnaoutoglou, C. Chamzas, On 3D reconstruction of the old city of Xanthi, *J. Cultur. Heritage* 8 (2007) 26–31.
- [4] J.A. Beraldin, et al., Virtualizing a Byzantine crypt by combining high-resolution textures with laser scanner 3D data, in: Proceedings of 8th Int. Conference on Virtual Systems and Multimedia, Gyeongju, Korea, September 25–27, 2002, pp. 3–14.
- [5] J.A. Beraldin, F. Blais, L. Cournoyer, M. Picard, D. Gamache, V. Valzano, A. Bandiera, M. Gorgoglione, Multi-resolution digital 3D imaging system applied to the recording of Grotto Sites: the Case of the Grotta dei Cervi, in: Proceedings of 7th International Symposium on Virtual Reality, Archaeology and Cultural Heritage VAST, Nicosia, Cyprus, October 30–November 4, 2006, pp. 45–52.
- [6] S. El-Hakim, J.A. Beraldin, M. Picard, L. Cournoyer, Surface reconstruction of large complex structures from mixed range data - The Erechtheion Experience, in: Proceedings of XXI Congress of the International Society for Photogrammetry and Remote Sensing, Beijing, China, July 3–11, 2008, pp. 1077–1082.
- [7] A. Koutsoudis, F. Arnaoutoglou, G. Pavlidis, V. Tsioukas, C. Chamzas, Creating Internet friendly 3D tours using 3D range scanner data, in: Proceedings of 3D Colour Laser Scanning Conference, UCL, London, UK, March 27–28, 2008.
- [8] F. Remondino, S. Girardi, L. Gonzo, A. Rizzi, Multi-resolution modeling of complex and detailed cultural heritage, in: Proceedings of 9th International Symposium on Virtual Reality, Archaeology and Cultural Heritage (VAST 2008), Braga, Portugal, December 2–6, 2008, pp. 1–8.
- [9] A. Koutsoudis, F. Arnaoutoglou, G. Pavlidis, D. Tsiafakis, C. Chamzas, A versatile workflow for 3D reconstructions and modelling of cultural heritage sites based on open source software, in: Proceedings of Virtual Systems and Multimedia Dedicated to Digital Heritage Conference, Limassol, Cyprus, October 20–25, 2008, pp. 238–244.
- [10] R. Kadobayashi, R. Furukawa, Y. Kawai, D. Kanjo, J.N. Yoshimoto, Integrated Presentation System for 3D models and image database for Byzantine Ruins, *International Archives of the Photogrammetry, Remote Sensing Spatial Info. Sci.* XXXIV (part5/w12) (2003) 187–192.
- [11] M. Carrozzino, C. Evangelista, M. Bergamasco, The immersive time-machine: a virtual exploration of the history of Livorno, *International Archives of the Photogrammetry, Remote Sensing Spatial Info. Sci.* XXXVIII-5/W1 (2009) 1682–1777.
- [12] M. Forte, E. Pietroni, C. Rufa, A. Bizzarro, A. Tilia, S. Tilia, DVR-Pompei project: reconstructions of archaeological contexts in Desktop-OpenGL environments, in: Proceedings of 7th International Conference on Virtual Systems and Multimedia, Berkeley, California, USA, October 25–27, 2001, pp. 77–85.

- [13] M. Sgrenzaroli, Cultural heritage 3D reconstruction using high resolution laser scanner: new frontiers data processing, in: Proceedings of XX CIPA Symposium, Turin, Italy, September 26–October 1, 2005.
- [14] A. Georgopoulos, C. Ioannidis, A. Daskalopoulos, E. Demiridi, 3D reconstruction and rendering for a virtual visit, in: Proceedings of XX. ISPRS Congress, Istanbul, Turkey, July, 12–23, 2004, Vol. XXXV, Part B5, pp. 632–636.
- [15] Ch. Ioannidis, N. Demir, S. Soile, M. Tsakiri, Combination of laser scanner data and simple photogrammetric procedures for surface reconstruction of monuments, in: Proceedings of CIPA XX International Symposium, Turin, Italy, 26 September–1 October, 2005.
- [16] S. Pescarin, M. Forte, L. Calori, C. Camporesi, A. Guidazzoli, S. Imboden, Open Heritage: an open source approach to 3D real-time and web-based landscape reconstruction, in: Proceedings of XI International Conference on Virtual Systems and Multimedia: Virtual Reality at work in the 21st century, Ghent Belgium, October 3–7, 2005, pp. 313–320.
- [17] T. Sonnemann, M. Sauerbier, F. Remondino, G. Schrotter, Reality-based 3D modeling of the Angkorian temples using aerial images, in: Proceedings of 2nd International Conference on Remote Sensing in Archaeology, Rome, Italy, December 4–7, 2006, pp. 573–579.
- [18] J. Finat, M.A. Iglesia Santamaría, J. Martínez Rubio, J.J. Fernández Martín, L. Giuntini, J.L. San José Alonso, A. Tapias, The Roman theatre of clvnia: hybrid strategies for applying virtual reality on laser scanning 3D Files, in: Proceedings of ISPRS Working Group V/4 Workshop 3D-ARCH, Mestre-Venice, Italy, August 22–24, 2005.
- [19] P. Salonia, S. Scolastico, A. Marcolongo, T. Leti Messina, Survey and 3D reconstruction of the St. Orso capitals in Aosta, through three-focal photogrammetry, in: Proceedings of 15th International Conference on Virtual Systems and Multimedia (VSMM '09), Vienna, Austria, September 9–12, 2009, pp. 35–40.
- [20] Midas XML Schema, <http://www.heritage-standards.org.uk>.
- [21] MACE - Metadata for Architectural Contents in Europe, <http://portal.mace-project.eu>.
- [22] CARARE Bringing content for archaeology and historic buildings to European users, <http://www.carare.eu>.
- [23] E. Gobetti, R. Turner, Exploring Annotated 3D Environments on the World Wide Web, Lecture Notes Comput. Sci. 1326 (1997) 31–46.
- [24] Virtual Reality Modelling Language, <http://www.web3d.org/x3d/specifications/vrml>.
- [25] K. Singh, R. Balakrishnan, Visualizing 3D scenes using non-linear projections and data mining of previous camera movements, in: Proceedings of 3rd international conference on computer graphics, virtual reality, visualisation and interaction in Africa, Cape Town, South Africa, November 3–5, 2004.
- [26] I.M. Bilasco, J. Gensel, M.V. Oliver, H. Martin, On indexing of 3D scenes using MPEG-7, in: Proceedings of 13th annual ACM international conference on Multimedia, 2005, pp. 85–95. Singapore, November 6–12.
- [27] R. Tenmoku, M. Kanbara, N. Yokoya, Annotating User-Viewed Objects for Wearable AR Systems, in: Proceedings of International Symposium on Mixed and Augmented Reality, Vienna, Austria, October 5–8, 2005, pp. 192–193.
- [28] S. Maass, J. Döllner, Dynamic Annotation of Interactive Environments using Object-Integrated Billboards, in: Proceedings of 14th International Conference in Central Europe on Computer Graphics, Visualisation and Computer Vision, Plzen - Bory, Czech Republic, January 30–February 3, 2006, pp. 327–334.
- [29] R. Kadobayashi, J. Lombardi, M.P. McCahill, H. Stearns, K. Tanaka, A. Kay, Annotation Authoring in Collaborative 3D Virtual Environments, in: Proceedings of the 2005 International Conference on Augmented Tele-Existence, Christchurch, New Zealand, December 5–8, 2005, pp. 255–256.
- [30] S. Feiner, B. MacIntyre, T. Hollerer, A. Webster, A touring machine: Prototyping 3D mobile augmented reality systems for exploring urban environment, J. Pers. Ubiquitous Comput. 1 (1997) 208–217.
- [31] T. Okuma, T. Kurata, K. Sakaue, VizWear-3D: a wearable 3-D Annotation system based on 3-D object tracking using a condensation algorithm, in: Proceedings of IEEE Virtual Reality conference, Orlando, FL, USA, March 24–28, 2002, pp. 295–296.
- [32] T. Jung, M.D. Gross, E.Y.L. Annotating and sketching on 3D web models, in: Proceedings of 7th international conference on Intelligent user interfaces, Miami, Florida, January 12–15, 2009, pp. 95–102.
- [33] F. Kleiner mann, O. De Troyer, C. Creelle, B. Pellens, Adding semantic annotations, navigation paths and tour guides to existing virtual environments, Lecture Notes Comput. Sci. 4820 (2008) 100–111.
- [34] L. Chittaro, T. Leronutti, R. Ranon, Navigating 3D virtual environments by following embodied agents: a proposal and its informal evaluation on a virtual museum application, PsychNology J. 2 (2004) 24–42.
- [35] L. Chittaro, S. Burigat, 3D Location-pointing as a navigation aid in virtual environments, in: Proceedings of Working Conference on Advanced Visual Interfaces, Gallipoli, Italy, May 25–28, 2004, pp. 267–274.
- [36] F. Pittarello, A.D. Faveri, Semantic Description of 3D Environments: A Proposal Based on Web Standards, in: Proceedings of 11th International conference on 3D web technology, Columbia, MD, USA, April 18–21, 2006, pp. 85–96.
- [37] X3D - Open Standard for Real-Time 3D Communication, <http://www.web3d.org/x3d>.
- [38] Semantic Web, <http://semanticweb.org>.
- [39] S. J. Balling, Visualisation, Annotation and Exploration of Three Dimensional Datasets Using an Existing 3D Rendering System, SCI Institute, The University of Utah, First Place BioEngineering Senior Design Poster, May 2004.
- [40] Cultural Heritage Unit, Cultural and Educational Technology Institute - Research Centre 'Athena', <http://www.ipet.gr/index2.php?langen&mid1&modlab&id1>.
- [41] MIDAS META element documentation, <http://www.heritage-standards.org.uk/midas/docs/meta>.
- [42] MIDAS MONUMENT element documentation, <http://www.heritage-standards.org.uk/midas/docs/monument>.
- [43] PHP:Hypertext Preprocessor, <http://www.php.net>.
- [44] eXist Native XML Database, <http://exist.sourceforge.net>.
- [45] X3DOM Technology, <http://www.x3dom.org>.
- [46] WebGL, <http://www.khronos.org/webgl>.
- [47] Y. Jung, J. Behr, H. Graf, X3DOM as carrier of the virtual heritage, in: Proceedings of 4th ISPRS International Workshop 3D-ARCH 2011, 2–4 March, Italy, 2011.
- [48] Mozilla Fennec, <http://www.mozilla.com/en-US/mobile>.
- [49] Instant Reality mini version, <http://www.instantreality.org/story/modules>.